

21 Firstfield RD * Suite 100 Gaithersburg, MD 20878 240-778-6515 Services@ibtbioservices.com

S. aureus alpha hemolysin (α -**Toxin) polyclonal Antibody**

Catalog #: 04-0010

Immunogen: Purified N-terminal domain of

Staphylococcus aureus alpha hemolysin expressed in E.coli

(His-tagged).

Description: Rabbit polyclonal reactive to S. aureus alpha hemolysin (α -toxin). The antibody detects the antigen produced by S. aureus strains in western blot and ELISA and neutralizes the hemolytic activity of the toxin.

Raised in: New Zealand White Rabbits

Purification: Protein A

Clonality: Polyclonal

Buffer: PBS + 0.01% Sodium Azide

Size: 0.5mg

Relevance: The antibody can be used for detection and neutralization of α -toxin produced by virulent strains of S.

aureus.

Recommended Dilutions:

ELISA: Assay-dependent dilution


WB: Assay-dependent dilution; if probing against purified protein, at least 25 ng of pure α -toxin can be detected with 1 ug/ml of the primary antibody combined with a suitable dilution of a secondary anti-rabbit antibody.

Toxin neutralization: using a rabbit RBC lysis assay, IC50 of this antibody for neutralization of 1 ug/ml of α -toxin was determined to be 14 ug/ml.

IF: Not tested

Storage: 2-3 weeks +4°C, -20°C long term

Cross Reactivity: unknown.




Western Blot analysis of α-toxin

Antigen: Alpha toxin cat# HT101, Lot# 62308AH Toxin

Technologies

Primary Antibody: Rabbit anti α - toxin pAbs (1ug/ml) Secondary Antibody: Goat anti rabbit-AP (1:3,000)



Intended for research use only, not for human, therapeutic, or diagnostic applications.

The buyer cannot sell or otherwise transfer this product for Commercial Purposes

without written approval of Integrated BioTherapeutics, Inc.

Copyright 2014. Integrated BioTherapeutics, Inc. All rights reserved. ions